

Data Sheet

Fujitsu F56

Multi Cassette Media/Currency Dispenser

High Performance Multi Cassette Bill Dispensing Unit
F56 Combines High Performance with Maximum Flexibility in Currency Dispenser

Enhanced Features

- Compact and multi cassette media dispenser
- Can be configured for front or rear service or dual
- Multiple delivery options, presenter, semi-bunch, bulk or custom transports
- 2-6 denomination support; field upgradeable
- USB or RS232 interface for easy integration

Benefits

- Highest flexibility in delivery/transport options allows multitude of delivery options including through-the-wall
- On-board and remote diagnostics tools for quickly diagnosing and resolving issues.
- High-end features at a low price
- 1,000 note* additional denomination module option lowers overall cost for larger capacity applications
- Flexible design protects OEM investment by providing maximum number of application possibilities.



F56 Bill Dispensing with cash cassette Unit

F56 Solution Overview

F56 Multi Cassette Media Dispenser

With over 30-years' experience in designing and building media dispensing devices of legendary quality, Fujitsu has expanded the family of products available to its OEM sales channel to meet the needs of a greater number of applications.


The F56 offers many features usually found only on more expensive units. It can be configured to be serviced from the front or rear making installation and integration by OEMs a snap. And with multiple delivery options like semi-bunch, presenter, bulk transports, and custom transports, it allows deployers to customize and differentiate their cash delivery programs.

The F56 can hold its own when it comes to capacity. It has the ability to be configured with 2-6 cassettes. Each cassette is capable of holding up to 500 new notes or other media. In addition, to provide an added measure of security, the cassettes can be configured with locks so they can be transported securely and safely by your CIT companies.


Each cassette can be adjusted to support a variety of media sizes enabling you to use the same dispenser for domestic and international currency. The F56 is capable of dispensing mixed new and teller fit and mixed paper and polymer notes out of the same cassette.

Other high-end features on the F56 include bill low and denomination sensors to ensure that you have cash at peak times and dispensing the correct denomination to your customers. In addition, the sensors on the F56 can alert your customers or service organization when they need to be replaced before they fail and cost you down time.

So whether your applications include ATMs, self-checkout, kiosks, bill payment or bill changing, the F56 offers you cost-efficient bill dispensing with high-end features.



F53 Product Specifications

Dimensions 2-Denominations (W x D x H)	160mm x 397mm x 375mm
Weight w/o media	11 kg cassette 0.7kg
Maximum Capacity per Cassette	500 new notes (approx.*) 60mm
Maximum Dispense	20 notes per transaction
Service Area	Front and side service access
Number of Cassettes	2 standard, up to 6 optional
Reject Area Capacity	20 notes
Acceptable Media Range	Max. (mm) 82mm x 160mm Min. (mm) 60mm x 120mm
Thickness (mm)	0.09 ~ 0.3
Processing Speed	2 notes per second
Interface Specifications	RS232C or USB
Electrical Reuirements	DC +24V +/- 10% Avg. 4A Peak7A
Temperature	Operation: 0°C - 40°C Stop State:-5°C - 50°C
Relative Humidity	Operation: 10% - 95% Stop State: 8% - 95%
RoHS Compliance	Yes
UL/TUV Compliance	Yes 

Fujitsu Frontech North America reserves the right to change specifications without notice

*Actual number of notes depends on fitness of currency, new versus used

Contact

FUJITSU
Fujitsu Frontech North America Inc.
Address: 27121 Towne Centre Drive, Suite 100 Foothill Ranch, CA 92610
Phone: 877-766-7545
Email: CHPS.FFNA@us.fujitsu.com
Website: <http://www.fujitsu.com/us/oem/financial/atm>
F56_DS_011917



©2017 Copyright Fujitsu Frontech North America Inc. All rights reserved. Fujitsu and the Fujitsu logo are registered trademarks. All other trademarks are the property of their respective owners. Statements herein are based on normal operating conditions and are not intended to create any implied warranty of merchantability or fitness for a particular purpose. Fujitsu Frontech North America Inc. reserves the right to modify, at any time without notice, these statements, our services, products, and their warranty and performance specifications.