

Data Sheet

Fujitsu F510

Multi Cassette Media/Currency Dispenser

High Performance Multi Cassette Bill Dispensing Unit
Best-in Class Multi-Cassette Media/Currency Dispenser

Enhanced Features

- Front, rear or dual service to satisfy any installation environment
- Pool/Bulk Presenter
- On-board and remote diagnostics tools for quickly diagnosing and resolving issues
- Configurable for 1-6 cassettes; field upgradeable
- Highest capacities (up to 18,000 new notes*) for most demanding high-volume cash dispensing environments

Benefits

- Adjustable bill low sensor in each cassette permits deployer to set the level for their unique requirements
- Reject bill area in top cassette allows for maximum number of cassettes flexibility in limited amount of vertical space.
- Each cassette can reliably dispense mixed new and used and paper and polymer notes
- Self-monitoring sensors can communicate imminent problem allowing them to be replaced before a failure
- Target applications include high-end ATMs, bill breakers, bill payment kiosks, teller assist units, gaming and media dispensers, etc.



F510 Bill Dispensing Unit

F510 Solution Overview

F510 Multi Cassette Media Dispenser

With over 30-years' experience in designing and building media dispensing devices of legendary quality, Fujitsu has expanded the family of products available to its OEM sales channel to meet the needs of a greater number of applications.

The Fujitsu F510 is one of the most advanced media dispensers on the market today, with the speed, capacity, reliability, and advanced diagnostics for your most demanding environments.


At seven notes per second, the F510 is one of the fastest cash dispensers in the industry. The unit is expandable up to six cassettes, with each cassette capable of supporting up to 3,000 new notes. With a total capacity of 18,000 new notes, it is the solution for high-volume locations. The multimedia-capable F510 can dispense postage stamps, coupons, pre-paid phone cards or other specialized media, making it one of the most flexible dispensers in the industry.

Despite its advanced features, the F510 has been designed to drive down your total cost of ownership.


The unit features advanced on-board and remote diagnostics to help detect problems before they occur. And its integrated reject bin reduces maintenance needs. The F510 can be installed to support front and rear service or can be configured for dual access. This enables the OEM to support multiple applications, which reduces support costs, lowers spare inventory, and minimizes maintenance logistics.

Other high-end features on the F510 include a customer-adjustable bill low and denomination sensors to ensure that you have cash at peak times and dispensing the correct denomination to your customers. In addition, the sensors on the F510 can alert your customers or service organization when they need to be replaced before they fail and cost you down time.

The F510 is backed by the Fujitsu team of experienced, dedicated professionals who are committed to bringing you the devices you need to create solutions that will help your customers succeed. Tell us about your unique OEM requirements and make Fujitsu a part your team.



F510 Product Specifications

Dimensions 2-Denominations (W x D x H)	280mm x 763mm x 405mm
Weight w/o media	72kg cassette
Maximum Capacity per Cassette	3,000 new notes (approx.)* 370mm
Maximum Dispense	60 notes per transaction
Service Area	Front, rear or dual
Number of Cassettes	1-6 cassettes
Reject Area Capacity	150 notes
Acceptable Media Range	Max. (mm) 82mm x 172mm Min. (mm) 60mm x 120mm
Thickness (mm)	0.07 ~ 0.3
Processing Speed	7 notes per second
Interface Specifications	RS232C
Electrical Reuirements	DC +24V +/- 10% Avg. 4A Peak 10A
Temperature	Operation: 0°C - 40°C Stop State:-5°C - 50°C
Relative Humidity	Operation: 10% - 85% Stop State: 8% - 95%
RoHS Compliance	Yes
UL Compliance	Yes 

Fujitsu Frontech North America reserves the right to change specifications without notice

*Actual number of notes depends on fitness of currency, new versus used

Contact

FUJITSU
Fujitsu Frontech North America Inc.
Address: 27121 Towne Centre Drive, Suite 100 Foothill Ranch, CA 92610
Phone: 877-766-7545
Email: CHPS.FFNA@us.fujitsu.com
Website: <http://www.fujitsu.com/us/oem/financial/atm>
F510_DS_122716



©2016 Copyright Fujitsu Frontech North America Inc. All rights reserved. Fujitsu and the Fujitsu logo are registered trademarks. All other trademarks are the property of their respective owners. Statements herein are based on normal operating conditions and are not intended to create any implied warranty of merchantability or fitness for a particular purpose. Fujitsu Frontech North America Inc. reserves the right to modify, at any time without notice, these statements, our services, products, and their warranty and performance specifications.